

ROLLING COUNTER DOOR

# ROLLING COUNTER DOOR

Models ESC10 and ESC20 (integral frame and sill)



## AN ELEGANT, UNOBTRUSIVE WAY TO SECURE FINISHED OPENINGS

### **SMALLER COMPONENTS DELIVER A CLEAN, PROFESSIONAL APPEARANCE**

Rolling Counter Doors are used in both interior and exterior applications. Built to exact opening specifications using compact guides, slats, brackets and hoods, they offer a more streamlined look than traditional rolling doors. When a full door with compact door components is desired, full-height units are available.

### **A GREAT CHOICE FOR SERVICE OPENINGS**

Counter Doors are often used in cafeterias, stadiums, arenas, hospitality and educational facilities, public spaces, healthcare offices, and many other locations.

### **COUNTER DOORS WITH INTEGRAL FRAMES AND SILLS WORK WITH INTERIOR RATED AND NON-RATED WALLS**

Offering a custom appearance (with no exposed edges) and fast installation, slip-in units arrive ready to be set into existing walls. Units may be used in masonry or drywall openings from 4" to 13" thick.

### **A SPACE-SAVING DESIGN OPTION**


As an alternate design, concealed tubular motors provide a solution for strict dimensional limitations around the header or aesthetic requirements that lend themselves to its smaller, compact design.

800.233.8366 | [cornelliron.com](http://cornelliron.com)

CornellCookson, Inc. is an ISO 9001:2008 registered company  
3.2017

**CORNELL**  
Innovative door solutions<sup>SM</sup>

## STANDARD COMPONENT MATERIALS AND FINISHES



## OPTIONAL MATERIALS AND FINISHES

- ▶ Aluminum in clear and color anodized - Only available for ESC10 model.
- ▶ Stainless steel - 300 series in #4 finish
- ▶ SpectraShield® Powder Coating in more than 180 colors
- ▶ Although it is standard on the ESC10 model, Galvanized steel with Galvanex™ polyester enamel finish is offered as an option on the ESC20 model.

### Brackets, Guides and Bottom Bar

- ▶ Hot-dip galvanizing on steel components
- ▶ Zinc-enriched, corrosion-resistant powder coating in Gray

## OPTIONAL WIND LOAD AND FINISHES

The rolling counter door can be configured to withstand wind load requirements of up to 40 PSF and impact ratings of up to 50 FPS.

## WITH INTEGRAL FRAME AND SILL


- HOOD** - Stainless steel.
- BRACKETS** - Stainless steel.
- CURTAIN** - Stainless steel.
- FRAME** - Welded stainless steel head and jambs. Guide groove is incorporated into jamb design.
- SILL** - Stainless steel provides a seamless, custom look.
- TRIM** - Stainless steel jamb trim angles. Head trim optional.

\* All stainless steel is 300 series in #4 finish

## OPERATION AND STRUCTURAL REQUIREMENTS

**Hand-crank, push-up and a variety of motor options are available.**

This product is supported by a guide assembly attached to the jamb construction. No additional header support is required unless hood supports are mandated by a larger opening width.



## CUSTOM-DESIGNED SOLUTIONS

Our experienced Architectural Design Support Team can customize our products to fit your specific application. Call 800.233.8366 ext. 4551 • ads@cornelliron.com