Fire-Rated Rolling Doors & Shutters by CornellCookson

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 29149

CLASSIFICATION: 08 11 73 Sliding Metal Fire Doors

PRODUCT DESCRIPTION: CornellCookson Fire-Rated Steel Rolling Doors and Shutters are engineered to save lives and protect property by compartmentalizing building areas and isolating the incident. In addition to preventing the migration of fire, they also provide security and access control in wall openings that are not a required means of egress. Our steel rolling fire doors and shutters are approved for any wall type, including concrete, structural steel or masonry. With torsion springs engineered for more than 50,000 open and close cycles, CornellCookson Fire-Rated Steel Rolling Doors and Shutters will protect you for years to come. This HPD covers the following products in steel: Listed Roll Up Fire Doors (Models ERD10, ERD11); Firemiser Insulated Rolling Fire Doors (Models ERD20, ERD21); Fire Rated Counter Shutters (Models ERC10, ERC20).



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances except SC

substances characterized according to SC guidance. Screened ⊙ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FIRE-RATED ROLLING DOORS & SHUTTERS [STEEL NoGS UNDISCLOSED NoGS TITANIUM DIOXIDE LT-1 | CAN | END ALUMINUM HYDROXIDE, DRIED BM-2 | RES AROMATIC NAPHTHA, TYPE 1 LT-1 | END | CAN | MUL | GEN | MAM TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | RES | GEN | SKI | MAM | EYE SC:MOTOR Not Screened MINERAL WOOL, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT > 18 % BY WEIGHT LT-UNK UREA, POLYMER WITH FORMALDEHYDE AND PHENOL LT-UNK ALUMINUM BM-1 | END | RES | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-07-08 PUBLISHED DATE: 2022-07-08 EXPIRY DATE: 2025-07-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

FIRE-RATED ROLLING DOORS & SHUTTERS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML). Alloying elements are disclosed in the substance notes of the relevant metal.

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for material differences within and between product lines.

STEEL ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-08 20:40:27

%: 91.0000 - 99.0000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Curtain, Hood, Bottom Bar, Brackets, Counter-Balance Shaft, Guides, Rings, Castings, Endlocks, Motor Components. Recycled content includes up to 99.8% total (17.0% pre-consumer and 82.8% post- consumer content). Documentation from suppliers provide the following composition for alloying elements that may individually exceed the declared threshold: max 2.0% Manganese [7439-96-5]; max 1.0% Silicon [7440-21-3]; max 1.0% Chromium [7440-47-3]; max 0.4% Nickel [7440-02-0]; max 0.4% Copper [7440-50-8]; max 0.2% Vanadium [7440-62-2]; max 0.2% Phosphorus [7723-14-0]; max 0.2% Carbon [7440-44-0].

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-08 20:40:28

%: 0.5000 - 1.5000 GS: NoGS SUBSTANCE ROLE: Binder RC: None NANO: No

WARNINGS HAZARD TYPE AGENCY AND LIST TITLES

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Polyester powder coating and enamel. Substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-08 20:40:28

%: 0.1000 - 1.0000 GS: LT-1 SUBSTANCE ROLE: Pigment RC: None NANO: No

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Polyester powder coating and enamel. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form-specific hazards: airborne particles of respirable size – occupational setting.

ALUMINUM HYDROXIDE, DRIED ID: 21645-51-					
HAZARD SCREENING METHOD:	SCREENING METHOD: Pharos Chemical and Materials Library		EENING DATE:	2022-07-08 20:40:29	
%: 0.1000 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RES	AOEC - Asthmagens	Asthm	nagen (Rs) - sens	sitizer-induced	

SUBSTANCE NOTES: Polyester powder coating. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

AROMATIC NAPHTHA, TYPE 1				ID: 64742-95-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2022-07-08 20:40:29
%: 0.0100 - 0.1000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]

SUBSTANCE NOTES: Polyester enamel and primer.

TRIGLYCIDYL ISOCYANURATE	ID: 2451-62-9

%: 0.0100 - 0.1000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Curing agent

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-08 20:40:30

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
GEN	EU - Annex VI CMRs	Mutagen - Category 1B		
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list		
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]		
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
GEN	GHS - New Zealand	Germ cell mutagenicity category 1		

SUBSTANCE NOTES: Polyester powder coating

SC:MOTOR ID: SC:Electronics

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened			
%: 0.0000 - 1.5000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Electronic component	
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS		
	Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: Electrical components of optional motorized operator.

Compliance: The printed circuit board is compliant to RoHS in the SGS test report of ETR21702252M01 on July 21, 2021 and contains no Halons, CFCs, HCFCs or Formaldehyde materials.

Takeback Program: Component is not currently included in a takeback program. Non-electrical components of motorized operator are steel and aluminum, and are included in the relevant line item entries.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 3.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Insulation used in Models ERD20 and ERD21 only.

UREA. POLYMER WITH FORMALDEHYDE AND PHENOL

ID: 25104-55-6

SUBSTANCE NOTES: Insulation used in Models ERD20 and ERD21 only.

ALUMINUM

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-08 20:40:31

%: 0.0000 - 0.5000 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** END **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced PHY EU - GHS (H-Statements) Annex 6 Table 3-1 H228 - Flammable solid [Flammable solids - Category 1 or PHY EU - GHS (H-Statements) Annex 6 Table 3-1 H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Motor Gear Box. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Mountain Top, PA 18707 ISSUE DATE: 2022-07- EXPIRY DATE:

CERTIFIER OR LAB: N/A

07

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product consists of more than 90% powder-coated, plated or anodized metal, of which LEED considers inherently non-emitting sources of VOCs. Supplier has confirmed that the motorized operator has no VOC emission (Test report CE/2014/25041).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

SPECTRASHIELD POWDER COAT FINISH

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SpectraShield is an environmentally friendly, factory applied polyester powder coating option that adds aesthetic value. Layered on top of the standard GalvaNex finish, the SpectraShield finish includes a zirconium pre-treatment followed by a baked-on polyester powder coating. Available in a palette of more than 180 standard RAL colors. Contact manufacturer if more information is required.

ULTRA POWDER COAT FINISH

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Ultra Powder Coat Finish is an optional top coating that provides a more durable finish for the curtains. Contact manufacturer if more information is required.

SAFETY SENSING EDGES

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Sensing edge system is an entrapment protection device that requires a physical connection between the bottom bar sensing edge device and the motor operator. Contact manufacturer if more information is required.

PHOTO EYES HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Optional entrapment protection device that consists of NEMA 4x or 1 photo eye sensors. Contact manufacturer if more information is required.

CONTROLGARD HAND CHAIN

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Optional braking chain hoist to keep users safe and extend the life of a chain-operated rolling door. Can be ordered on a new overhead door or retrofitted to existing chain-operated rolling doors. Contact manufacturer if more information is required.

SMOKE SEAL PACKAGE HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Enhances the prevention of smoke spread that is so damaging to life and property. Especially useful in interior corridors and smoke barrier openings.

MANUFACTURER INFORMATION

MANUFACTURER: CornellCookson ADDRESS: 24 Elmwood Avenue Mountain Top PA 18708, USA

WEBSITE: https://www.cornellcookson.com/

CONTACT NAME: Nicole Vivalda

TITLE: Product Manager PHONE: 800.233.8366

EMAIL: Nicole.Vivalda@cornellcookson.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.