SmokeShield® Elevator Smoke Curtain by CornellCookson

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 943135744

CLASSIFICATION: 07 87 00 Smoke Containment Barriers

PRODUCT DESCRIPTION: Elevator smoke doors — also known as elevator smoke curtains — are a tool for reducing risk and increasing safety in multistory office and residential structures. They engage automatically to limit potential property damage and occupant harm. Under the International Building Code (IBC) requirements, multi-occupant structures with elevators connecting three or more levels must have a plan for containing smoke and flames as part of their fire safety strategies. SmokeShield is an ideal solution for smoke containment and fire safety strategies in multi-occupant structures. SmokeShield relies on our patented GuideLock™ design to serve as a failsafe, which allows the curtain to create airtight seals 100% of the time.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No.

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SMOKESHIELD® ELEVATOR SMOKE CURTAIN [IRON, ELEMENTAL LT-P1 | END ALUMINUM BM-1 | END | PHY | MAM POLYETHYLENE TEREPHTHALATE (PET) LT-P1 UNDISCLOSED NoGS TITANIUM DIOXIDE BM-1* | CAN | END | MAM ALUMINUM HYDROXIDE BM-2 | SKI | EYE MANGANESE LT-P1 | END | MUL | REP | MAM | AQU MAGNESIUM LT-UNK | PHY | MAM | SKI | EYE BARIUM SULFATE BM-2 | CAN | MAM CARBON BLACK BM-1* | CAN | EYE | MAM | PHY SILICA GEL LT-UNK | MAM POLYPROPYLENE LT-UNK ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER NoGS CHROMIUM LT-P1 | END | SKI | MAM | REP | RES SILICON, ELEMENTAL LT-UNK NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | RES | GEN | MAM | EYE | SKI | AQU | REP POLYVINYL CHLORIDE LT-P1 | MAM SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 **EYE ELECTRONIC COMPONENTS 1**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1, LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Electronics]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2024-02-22** PUBLISHED DATE: 2024-02-22 EXPIRY DATE: 2027-02-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SMOKESHIELD® ELEVATOR SMOKE CURTAIN

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: Percent by weight of substances reported as range to account for multiple available sizes.

IRON, ELEMENTAL				ID: 7439-89-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	iry	HAZA	RD SCREENING DATE: 2024-02-22 12:53:39
%: 60.0000 - 64.5000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	isruptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATI	ON
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Steel supplier confirms recycled content includes up to 99.8% total (17.0% pre-consumer, and 82.8% post-consumer content).

ALUMINUM

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-02-22 12:53:39

%: 15.5000 - 19.0000

GreenScreen: BM-1

RC: UNK

NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

ELECTRONIC COMPONENTS ID: Electronic C					
HAZARD DATA SOURC	CE: HPDC Special Conditions Poli	су			
%: 8.5000 - 10.0000	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Electronic component	
HAZARD TYPE	AGENCY AND LIST T	TLES	WARNING	S	
	Hazard Screening	g is not applicable t	to this Special Con	dition	
INGREDIENT DESCR	IPTION: Motor, battery backup, wiring	g, switch.			
EU ROHS COMPLIAN	EU ROHS COMPLIANCE: Yes				
END-OF-LIFE MANAGEMENT: No end-of-life management plan					
MATERIAL CONTENT	NOTES:				

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2024-02-22 12:53:40
%: 2.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: St	ructure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD I	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	NC	
None found				No listings found on Add	ditional Hazard Lists
SUBSTANCE NOTES:					

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-02-22 12:53:40
%: 1.0000 - 3.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyester powder coating and enamel. Substance to remain proprietary to supplier. Substance has been screened

against HPD Priority Lists using the HPD Builder with results disclosed.

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	CREENING DATE: 2024-02-22 12:53:40
%: 0.3000 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ALUMINUM HYDROXIDE ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-22 12:53:39
%: 0.3000 - 1.5000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

MANGANESE				ID: 7439-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD	SCREENING DATE: 2024-02-22 12:53:40
%: 0.0000 - 1.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS	
END	TEDX - Potential Endocrin	TEDX - Potential Endocrine Disruptors		rine Disruptor
MUL	German FEA - Substance: Waters	German FEA - Substances Hazardous to Waters		d to Waters
REP	GHS - Japan		H360 - May dam reproduction - Ca	nage fertility or the unborn child [Toxic to ategory 1B]
MAM	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic toxicity ed exposure - Category 1]
MAM	GHS - Australia			damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
AQU	GHS - New Zealand		Hazardous to the	e aquatic environment - chronic category 3
AQU	GHS - Japan			aquatic life [Hazardous to the aquatic ute) - Category 2]
AQU	GHS - Japan			aquatic life with long lasting effects ne aquatic environment (chronic) -

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES:		

HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARD	SCREENING DATE:	2024-02-22 12:53:4
%: 0.0000 - 1.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	LE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		which may ignite	et with water releases to espontaneously [Substitution water, emit flam	tances and mixtures
PHY	EU - GHS (H-Statements)	Annex 6 Table 3-1		fire spontaneously if eds; Pyrophoric solids -	•
MAM	GHS - Japan			se respiratory irritation Single exposure - Cate	
PHY	GHS - Australia			fire spontaneously if eds; Pyrophoric solids -	•
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin cor	rosion / irritation -
PHY	GHS - Australia		which may ignite	et with water releases to espontaneously [Substitution water, emit flam	tances and mixtures
EYE	GHS - Japan		H319 - Causes s eye irritation - Ca	serious eye irritation [Sategory 2A]	Serious eye damage
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	=	NOTIFICATION		
None found			N	No listings found on Ac	dditional Hazard Lists

BARIUM SULFATE ID: 7727-43-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-22 12:53:40 %: 0.0000 - 1.0000 GreenScreen: BM-2 RC: None NANO: **No** SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

CARBON BLACK ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-22 12:53:41			
%: 0.0100 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Car	US CDC - Occupational Carcinogens		cinogen**	
CAN	MAK	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**	
CAN	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**	
CAN	IARC	IARC		Group 2b - Possibly carcinogenic to humans**	
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2**	
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 2**	
CAN	GHS - Japan	GHS - Japan		of causing cancer [Carcinogenicity -	
MAM	GHS - Japan	GHS - Japan		amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]**	
PHY	GHS - Japan			ng;; may catch fire [Self-heating nixtures - Category 1]**	

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

SILICA GEL ID: 112926-00-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD S	CREENING DATE: 2024-02-22 12:53:41
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan			respiratory irritation [Specific target gle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYPROPYLENE					ID: 9003-07-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2024-02-22 12:53:41
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: \$	Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	ON	
None found				No listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER

ID: 24938-04-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZAF	RD SCREENING DATE: 2024-02-22 12:53:41
%: 0.0000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CHROMIUM ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-22 12:53:41			
%: 0.0000 - 0.7000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Dis	sruptors	Potential Endocr	rine Disruptor	
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization	
MAM	GHS - Japan	S - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
REP	GHS - New Zealand		Reproductive to	xicity category 2	
RES	GHS - Japan	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Restricted Substances ctive July 1, 2022	
			Biological and E	nvironmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Restricted Substances ctive July 1, 2022	
			Children's Produ	ucts	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Restricted Substances ctive July 1, 2022	
			Cosmetics & Per	rsonal Care Products	

SUBSTANCE NOTES:

SILICON, ELEMENTAL				ID: 7440-21-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-02-22 12:53:42
%: 0.0000 - 0.7000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-22 12:53:41

%: 0.0500 - 0.5000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES:

TRIGLYCIDYL ISOCYANURATE	ID: 2451-62-9
--------------------------	----------------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	HAZARD SCREENING DATE: 2024-02-22 12:53:42		
%: 0.0500 - 0.5000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	ChemSec - SIN List		CMR - Carcinoge	en, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances H Waters	azardous to	Class 3 - Severe	Hazard to Waters	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		
GEN	EU - Annex VI CMRs		Mutagen - Categ	ory 1B	
GEN	GHS - Japan		H340 - May cause genetic defects [Germ cell mutageni - Category 1B]		
GEN	GHS - Korea	GHS - Korea		H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]	
GEN	EU - GHS (H-Statements) An	nex 6 Table 3-1	H340 - May caus - Category 1A or	se genetic defects [Germ cell mutagenicity 1B]	
MAM	EU - GHS (H-Statements) An	nex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]		
MAM	EU - GHS (H-Statements) An	nex 6 Table 3-1	H301 - Toxic if sv 3]	wallowed [Acute toxicity (oral) - Category	
EYE	EU - GHS (H-Statements) An	nex 6 Table 3-1		erious eye damage [Serious eye ation - Category 1]	
GEN	GHS - New Zealand		Germ cell mutag	enicity category 1	
MAM	GHS - Japan		repeated exposu	lamage to organs through prolonged or ire [Specific target organs/systemic toxicity ed exposure - Category 1]	

MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1	
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
EYE	GHS - New Zealand	Serious eye damage category 1	
MAM	GHS - New Zealand	Acute inhalation toxicity category 3	
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand	Skin sensitisation category 1	
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]	
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]	
MAM	GHS - New Zealand	Acute oral toxicity category 3	
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]	
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]	
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]	
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]	
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]	
GEN	EU - SVHC List	Mutagenic - Candidate list	
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	
SUBSTANCE NOTES:			

SUBSTANCE NOTES:

POLYVINYL CHLORIDE ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-22 12:53:42
%: 0.1000 - 0.3000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Core Restrictions		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023		
		Red List substances to avoid in Living Building Challenge V4.0 projects		

SUBSTANCE NOTES: Vinyl decals used on smoke curtain to provide information and instructions for use.

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: **70131-67-8**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-22 12:53:42		
%: 0.0000 - 0.2000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Sealant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A

ISSUE DATE: 2023-10-24 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SPECTRASHIELD POWDER COAT FINISH

MANUFACTURER (OR GENERIC): CornellCookson

HPD URL: No HPD available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SpectraShield is an environmentally friendly, factory applied polyester powder coating option that adds aesthetic value. Layered on top of the standard GalvaNex finish, the SpectraShield finish includes a zirconium pre-treatment followed by a baked-on polyester powder coating. Available in a palette of more than 180 standard RAL colors. Contact manufacturer if more information is required.

Section 5: General Notes

SmokeShield® Elevator Smoke Curtain complies with:

- IBC 2003-2018
- IBC 2003, 2006, 2012, 2015, 2018
- ICC-ES Report AC-77

Listed:

- UL 325
- ASTM E84
- UL 1784
- UL 864

MANUFACTURER INFORMATION

MANUFACTURER: CornellCookson ADDRESS: 24 Elmwood Avenue

Mountain Top, PA 18707

COUNTRY: USA

WEBSITE: https://www.CornellCookson.com/

CONTACT NAME: Nicole Vivalda

TITLE: Product Manager PHONE: 800.233.8366

EMAIL: Nicole.Vivalda@CornellCookson.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material **Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

